

# Product Catalog

## Divator diving equipment



**INTERSPIRO**

Keeps You Breathing

# Keeps you breathing.

Interspiro develops premium respiratory protection and equipment for diving, firefighting, emergency escape and rescue operations. We supply military, police, industries, shipping companies and rescue services all over the globe with standout products for extreme situations

At Interspiro, we've worked for almost a hundred years to keep professionals breathing in hazardous environments. Many of our technological breakthroughs in breathing equipment have become industry standard, such as 300 bar and positive pressure. Today our equipment is used by firefighters and divers all over the world, and we work in close partnership with fire and rescue services, defence, shipping and heavy industry to meet and exceed their requirements.

Visit [www.interspiro.com](http://www.interspiro.com) for a look at our latest innovations for your safety. We're already working on new ones.

# Content

---



|  |          |
|--|----------|
| <b>Divator Pro System</b> _____                        | <b>4</b> |
| Features _____   | 5        |
| Configurator - Cylinder pack version _____             | 6        |
| Configurator - Single cylinder version _____           | 8        |
| Configurator - DP1 Surface supply system version _____ | 10       |



|  |           |
|--|-----------|
| <b>Divator Full face mask</b> _____              | <b>12</b> |
| HUD and Accessory rail system _____              | 14        |
| Breathing valves and face mask accessories _____ | 16        |



|                                   |           |
|-----------------------------------|-----------|
| <b>Regulators</b> _____           | <b>17</b> |
| Divator Pro regulator units _____ | 18        |
| Divator RS4 regulator units _____ | 18        |



|                           |           |
|---------------------------|-----------|
| <b>Cylinders</b> _____    | <b>19</b> |
| Composite cylinders _____ | 20        |
| Steel cylinders _____     | 21        |



|                                    |           |
|------------------------------------|-----------|
| <b>Surface supply system</b> _____ | <b>22</b> |
| DP1 Surface supply system _____    | 23        |
| Accessories _____                  | 24        |



|                                  |           |
|----------------------------------|-----------|
| <b>Optional equipment</b> _____  | <b>25</b> |
| Weights and BC accessories _____ | 26        |
| Ibsophone _____                  | 27        |
| Accessories _____                | 28        |

---

© 2023 Interspiro AB, Sverige.

This publication contains or refers to proprietary information which is protected by copyright. All rights are reserved. This publication may not be copied, photocopied, reproduced, translated, or converted to any electronic or machine-readable form in whole or in part without prior written approval from Interspiro. Changes or updates to this publication may be made without prior notice.

# Divator Pro System

**Setting the new standard for professional diving. Again.**

The all new Divator Pro System is the first complete diving system for professionals. Combining our legendary Divator mask (to some known as the Aga mask) with your choice of regulator and cylinder and the brand new harness / BC, Interspiro Divator Pro offers versatility performance and durability like no other.

With a wide range of available choices you can customize your Divator Pro system to fit your specific needs.



### Pressure gauge

Robust shockproof design with rubber cover and easily read pressure gauge with warning device.

### Weight belt

The position of the weight can be adjusted on the belt for better balance.

### Hoses

Hose routing adapted to minimize the risk of getting stuck.

### Harness

The harness is easy to clean and quick-drying. The body-shaped non-textile shoulder straps and hip belt prevents contamination.

### Adjustment

Easy adjustment for different body size.

### Quick coupling


Quick coupling for cylinder pack or single cylinder.

# Divator Pro Configur


| Harness  |      |                       |
|----------|------|-----------------------|
| Art. No. | Name |                       |
| PRO-H-   | A    | Pro Harness           |
| PRO-H-   | B    | Pro Harness w weights |

| Bladder  |      |                                |
|----------|------|--------------------------------|
| Art. No. | Name |                                |
| PRO-B-   | A    | Pro Bladder                    |
| PRO-B-   | B    | Pro Bladder and inflation cyl. |
| PRO-B-   | E    | Pro Rescue Bladder             |
|          | o    | None                           |


| Cylinders  |      |                   |
|------------|------|-------------------|
| Art. No.   | Name |                   |
| PRO-D-CYL- | A    | Pro Cylinder pack |
| PRO-D-CYL- | B    | Pro Cylinder pack |
| PRO-D-CYL- | C    | Pro Cylinder pack |
| PRO-D-CYL- | D    | Pro Cylinder pack |
|            | o    | None              |




Pro Harness




Pro Harness with weights




Pro Bladder




Pro Bladder and inflater cylinder



Pro Rescue Bladder



Pro Cylinder pack Composite 2x7,2 l




Pro Cylinder pack Steel 2x6 l

## Full-face mask


| Art. No. | Name |                             |
|----------|------|-----------------------------|
| FFM-     | A    | FFM NR Black                |
| FFM-     | B    | FFM NR Black w hatch        |
| FFM-     | C    | FFM NR Grey                 |
| FFM-     | D    | FFM NR Grey w hatch         |
| FFM-     | E    | FFM Silicone Black          |
| FFM-     | F    | FFM Silicone Black w hatch  |
| FFM-     | G    | FFM Silicone Yellow         |
| FFM-     | H    | FFM Silicone Yellow w hatch |
|          | o    | None                        |

## Octopus


| Art. No. | Name |                                  |
|----------|------|----------------------------------|
| OCT-     | A    | Octopus (w hose and oct. holder) |
|          | o    | None                             |




FFM NR




FFM NR with hatch



FFM Silicon



FFM Silicon w hatch




Octopus w hose and holder

**O\*** \*can only be chosen when choosing breathing valve with mouthpiece:




# ator Cylinder pack


|  | Regulator  |   |                                    | Breathing valve |   |                                |
|--|------------|---|------------------------------------|-----------------|---|--------------------------------|
|  | Art. No.   |   | Name                               | Art. No.        |   | Name                           |
| Pro Cylinder pack composite 2x7,2 liter incl. weight | PRO-D-REG- | A | Pro Regulator w warning, bar       | BV-             | A | Breathing valve w mouthpiece   |
| Pro Cylinder pack composite 2x3,6 liter incl. weight | PRO-D-REG- | B | Pro Regulator w warning + DP1, bar | BV-             | B | Breathing valve for FFM w/o SP |
| Pro Cylinder pack Steel 2x6 liter                    | PRO-D-REG- | C | Pro Regulator w warning, psi       | BV-             | C | Breathing valve for FFM w SP   |
| Pro Cylinder pack Steel 2x4 liter                    | PRO-D-REG- | D | Pro Regulator w warning + DP1, psi |                 | o | None                           |
|  |            | o | None                               |                 |   |                                |




Pro Cylinder pack composite 2x3,6 l




Pro Cylinder pack Steel 2x4 l




Pro regulator w warning BAR & PSI




Pro regulator w warning DP1, BAR, PSI



Breathing valve w mouthpiece




Breathing valve for FFM w/o SP




Breathing valve for FFM w SP

| Dry Suit hose |   |                 |
|---------------|---|-----------------|
| Art. No.      |   | Name            |
| H-            | A | CEJN connection |
|               | o | None            |



Dry suit hose with CEJN connection

| High-pressure accessory |   |                    |
|-------------------------|---|--------------------|
| Art. No.                |   | Name               |
| HP-D-                   | A | Divator HUD 55 bar |
| HP-D-                   | B | Divator HUD 80 bar |
|                         | o | None               |



Divator HUD 55 & 80 bar

Example:

**PRO-D- B A A A B A o A A**

- Pro Harness with weights
- Pro Bladder
- Pro Cylinder pack 2x7,2
- Pro Regulator with warning, bar
- Breathing valve for FFM w/o SP
- FFM NR Black
- No Octopus (zero)
- CEJN Dry Suit Hose
- Divator HUD 55 bar


**Generates Divator Pro System article number: PRO-D-BAAABAoAA**

# Divator Pro Configura


| Harness  |   |                       |
|----------|---|-----------------------|
| Art. No. |   | Name                  |
| PRO-H-   | A | Pro Harness           |
| PRO-H-   | B | Pro Harness w weights |

| Bladder  |   |                                |
|----------|---|--------------------------------|
| Art. No. |   | Name                           |
| PRO-B-   | A | Pro Bladder                    |
| PRO-B-   | B | Pro Bladder and inflation cyl. |
| PRO-B-   | E | Pro Rescue Bladder             |
|          | o | None                           |


| Cylinder   |   |               |
|------------|---|---------------|
| Art. No.   |   | Name          |
| PRO-S-CYL- | A | Pro Single Cy |
| PRO-S-CYL- | B | Pro Single Cy |
| PRO-S-CYL- | C | Pro Single Cy |
| PRO-S-CYL- | Z | Pro Single Cy |
|            | o | None          |




Pro Harness




Pro Harness with weights



Pro Bladder




Pro Bladder and inflator cylinder




Pro Single Cyl. steel 4 & 6 liter



Pro Single Cyl. aluminum




Pro Single Cyl. Mounting kit




Pro Rescue Bladder


| Full-face mask |   |                             |
|----------------|---|-----------------------------|
| Art. No.       |   | Name                        |
| FFM-           | A | FFM NR Black                |
| FFM-           | B | FFM NR Black w hatch        |
| FFM-           | C | FFM NR Grey                 |
| FFM-           | D | FFM NR Grey w hatch         |
| FFM-           | E | FFM Silicone Black          |
| FFM-           | F | FFM Silicone Black w hatch  |
| FFM-           | G | FFM Silicone Yellow         |
| FFM-           | H | FFM Silicone Yellow w hatch |
|                | o | None                        |




FFM NR



FFM NR with hatch



FFM Silicon




FFM Silicon w hatch

**O\*** \*can only be chosen when choosing breathing valve with mouthpiece:



| Octopus  |   |                                  |
|----------|---|----------------------------------|
| Art. No. |   | Name                             |
| OCT-     | A | Octopus (w hose and oct. holder) |
|          | o | None                             |



Octopus w hose and holder








# or Surface Supply DP1

| Communication cable                                | Depth marking / sleeve |                                 |
|--|------------------------|---------------------------------|
|  | Type                   | Name                            |
| Communication cable without any connectors         | A                      | Depth marking                   |
| Communication cable with Ibsophone connectors      | B                      | Yellow sleeve                   |
| Communication cable with OTS Hi-use / banana plugs | C                      | Yellow sleeve and depth marking |
| Communication cable with OTS Hi-use / AMP 4        | o                      | None                            |



**Note!** This DP1 system can only be used with the Divator Pro system.

Example: **DP1-PRO- A F B A B o**

- Surface panel bar
- DP1 Hose 60 meter
- Communication cable with Ibsophone connectors
- Depth marking
- Winding frame in Pelicase
- No option

**Generates DP1 adapted for Divator Pro with article number: DP1-PRO-AFBABo**



# Divator Full face mask

Every day this mask stands up to the toughest diving conditions. Through decades of innovation and refinement, it has mastered the secrets of the sea. Users have saved both man and beast, seen dictatorships fall and freedom rise, even greeted astronauts returning from the Moon by way of ocean landing. It might be old news for professionals around the world, but performing well where others fail never gets old.

# Divator Full face mask

1

2

4

5

9

10

3

7

8

11

6

1. CE approved for cold water diving. 2. Part of a complete diving system, with full CE approval. 3. Positive pressure available for increased safety. 4. Excellent ergonomic and comfort. 5. Low life cycle cost. 6. Breathing valve can also be used with mouthpiece. 7. Inner mask can be replaced. 8. Natural rubber is durable and resistant to oil and chemicals etc. 9. Easy and safe to use. Push-pull hatch as option. 10. E-learning level 1 included. 11. Available in S and XL, if needed.

## Breathing valve

The DIVATOR breathing valve is one of the best-tested breathing valves available. It will perform even in the most extreme of conditions: mud, oil, and fast flowing cold currents does not have a serious impact on the performance. The breathing valve is balanced and maintain extremely low breathing resistance at all diving depths even if variations occur in the secondary pressure. The combination of high air flow capacity and low breathing resistance increases the divers performance and endurance.











# Regulators

# Divator Pro regulator units

The available configurations and part numbers are defined in the Divator Pro product configurators, see section Divator Pro System in this catalog.

## Divator RS4 regulators units



### RS4 Regulator - 2-port SCUBA (dry suit/BC)

One outlet equipped with over pressure valve. The two HP outlets fitted with blank plugs. Delivered without pressure gauge.

| Part No. | Description              |
|----------|--------------------------|
| 32940-01 | DIN cylinder connection  |
| 32940-02 | Yoke cylinder connection |



### RS4 Regulator - 2-port SCUBA + DP1

Delivered with DP1 surface supply connection and basic pressure gauge (some models).

| Part No. | Description                                  |
|----------|--|
| 32960-01 | Bar pressure gauge, DIN cylinder connection  |
| 32960-02 | Bar pressure gauge, Yoke cylinder connection |
| 32960-11 | Psi pressure gauge, DIN cylinder connection  |
| 32960-12 | Psi pressure gauge, Yoke cylinder connection |
| 32960-21 | DIN cylinder connection, No pressure gauge   |
| 32960-22 | Yoke cylinder connection, No pressure gauge  |



### RS4 Regulator - 4-port SCUBA

Delivered with basic pressure gauge (some models).

| Part No. | Description                                  |
|----------|--|
| 32950-01 | Bar pressure gauge, DIN cylinder connection  |
| 32950-02 | Bar pressure gauge, Yoke cylinder connection |
| 32950-11 | Psi pressure gauge, DIN cylinder connection  |
| 32950-12 | Psi pressure gauge, Yoke cylinder connection |
| 32950-21 | DIN cylinder connection, No pressure gauge   |
| 32950-22 | Yoke cylinder connection, No pressure gauge  |



### RS4 Regulator - 4-port SCUBA + DP1

Delivered with DP1 surface supply connection and basic pressure gauge (some models).

| Part No. | Description                                  |
|----------|--|
| 32970-01 | Bar pressure gauge, DIN cylinder connection  |
| 32970-02 | Bar pressure gauge, Yoke cylinder connection |
| 32970-11 | Psi pressure gauge, DIN cylinder connection  |
| 32970-12 | Psi pressure gauge, Yoke cylinder connection |
| 32970-21 | DIN cylinder connection, No pressure gauge   |
| 32970-22 | Yoke cylinder connection, No pressure gauge  |

### Basic Pressure gauge

| Part No. | Description |
|----------|-------------|
| 32948-01 | Bar gauge   |
| 32948-02 | Psi gauge   |

### Depth gauge

| Part No. | Description     |
|----------|-----------------|
| 32941-51 | Scale in meters |
| 32941-52 | Scale in feet   |

### Compass

| Part No. | Description             |
|----------|-------------------------|
| 32942-01 | For northern hemisphere |
| 32942-02 | For southern hemisphere |

92941-51 / 32941-52

32948-01 / 32948-02



32942-01 / 32942-02



# Cylinders

Interspiro's DIVATOR LITE, is the first complete professional diving system designed specifically for the search and rescue diver. The DIVATOR LITE Cylinder System combines an ultra lightweight non-metal composite cylinder with a balanced and adjustable weight system. This cylinder system dramatically increases the diver's safety and comfort.

The DIVATOR steel cylinders all have a very low profile and no protruding parts, which reduces the risk of getting caught in obstacles and ensures less water resistance. The cylinder design is robust and suitable for diving in demanding environments.

# Composite cylinders



1. Lightest diving cylinders in the world out of water.
2. Perfectly balanced under water.
3. Low profile allows for safer access to confined spaces and minimizes resistance in current waters.
4. Quick cylinder attachment interfact to harness or BC.
5. Removable compensating weight between the cylinders.
6. The regulator position simplifies cylinder valve handling and the carrying handle protects the regulator.
7. The first composite cylinder approved by US Department of Transportation (DOT) for underwater use in the United States.

## Divator Pro Cylinder pack cylinders

| Part No.    | Description                   |
|-------------|-------------------------------|
| PRO-D-CYL-A | Pro cylinder pack 2x7.2 liter |
| PRO-D-CYL-B | Pro cylinder pack 2x3.5 liter |

## Divator Lite cylinders - PED, CE and DOT Approved

| Part No. | Description                     |
|----------|---------------------------------|
| 98853-11 | Cylinder pack 323.4 2x3,5 liter |
| 98857-11 | Cylinder pack 326.7 2x7,2 liter |

## Pre-delivery cylinder filling

| Part No. | Description                   |
|----------|-------------------------------|
| 32300-01 | Pre-delivery cylinder filling |

NOTE! Cylinder are by default delivered without air (only with safety pressure). For delivery of filled cylinders add this item (same quantity as the quantity of cylinders).

## Divator Lite cylinders upgrade kit

| Part No. | Description               |
|----------|---------------------------|
| 57614-51 | Upgrade kit for Pro 323,4 |
| 57614-52 | Upgrade kit for Pro 326,7 |
| 57614-53 | Upgrade kit for Pro 324   |
| 57614-54 | Upgrade kit for Pro 326   |



## Cylinder pack handle

| Part No. | Description                   |
|----------|-------------------------------|
| 31710-51 | Cylinder pack handle          |
| 31710-52 | Cylinder pack handle, 10 pack |



## Divator lite cylinder weights

| Part No. | Description  |
|----------|--|
| 97520-11 | 13.8 kg weight for 326.7 & 2x7.2 L cylinder pack         |
| 97520-12 | 11.4 kg weight for 325 & 326.7 & 2 x 7.2 L cylinder pack |
| 97520-13 | 9.3 kg weight for 323.4 & 2 x 3.5 L cylinder pack        |



## Cylinder weights accessories

| Part No. | Description   |
|----------|---|
| 97869-51 | Weight substitute for 325 & 326.7 & 2 x 7.2 L cylinder pack   |
| 97869-52 | Weight substitute for 323.4 & 2 x 3.5 L cylinder pack   |
| 88199-51 | Handle protection kit for 5 cylinder weights. For mounting on older cylinder weights without handle protection, or as spare part. |

# Steel cylinders

The DIVATOR steel cylinders all have a very low profile and no protruding parts, which reduces the risk of getting caught in obstacles and ensures less water resistance. The cylinder design is robust and suitable for diving in demanding environments.

DIVATOR steel cylinder packs and single cylinders all have an easily accessible cylinder valve and are equipped with a quick connect interface to DIVATOR harness or BCW's.



## Steel cylinder pack

| Part No.    | Description   |
|-------------|---|
| 98412-02    | Cylinder pack 324 PED (2400 L/ 85 ft <sup>3</sup> )   |
| 98412-04    | Cylinder pack 324, Matte Black (2400 L/ 85 ft <sup>3</sup> )  |
| 98411-02    | Cylinder pack 326, PED (3600 L/ 127 ft <sup>3</sup> )   |
| 98411-04    | Cylinder pack 326, Matte Black (3600 L/ 127 ft <sup>3</sup> )   |
| 98411-03    | Cylinder pack 326 with Easy-fill connection, for filling cylinder with a mounted regulator              |
| 98411-05    | Cylinder pack 326, Matte Black with Easy-fill connection, for filling cylinder with a mounted regulator |
| PRO-D-CYL-C | Pro Cylinder pack 2 x 6 L   |
| PRO-D-CYL-D | Pro Cylinder pack 2 x 4 L   |

## Steel single cylinder

| Part No. | Description                                       |
|----------|---|
| 98445-01 | Single cylinder 316 (1800 L/ 63 ft <sup>3</sup> ) |

## Divator Pro single cylinders

| Part No.    | Description              |
|-------------|--------------------------|
| PRO-S-CYL-A | Pro single cylinder 4 L  |
| PRO-S-CYL-B | Pro single cylinder 6 L  |
| PRO-S-CYL-C | Pro single cylinder 10 L |



## Pre-delivery cylinder filling

| Part No. | Description                   |
|----------|-------------------------------|
| 32300-01 | Pre-delivery cylinder filling |

NOTE! Cylinder are by default delivered without air (only with safety pressure). For delivery of filled cylinders add this item (same quantity as the quantity of cylinders).



## Cylinder pack handle

| Part No. | Description                   |
|----------|-------------------------------|
| 31710-51 | Cylinder pack handle          |
| 31710-52 | Cylinder pack handle, 10 pack |

## Easy-fill connection

The easy-fill connection is designed for filling cylinder packs (composite or steel) that have a mounted regulator.



An underwater photograph showing a clear blue ocean. A white surface supply hose extends from the surface down into the water, creating a vertical line of bubbles and a slight wake. The light from the surface filters down, creating a shimmering effect on the water's surface.

# Surface Supply System

The DIVATOR DP1 surface supply hose provides a truly light weight and portable surface supply. The DP1 provide full cylinder pressure to the diver at depth.

The supply hose is also approved in accordance with requirements for lifelines and can therefore act as a safety lifeline.

# Divator DP1 Surface Supply System



- 1. No need for manual adjustment of pressure for various depths which relieves the attendant's work load.
- 2. The surface supply is simplified so that the attendant can focus on the safety of the diver.
- 3. The light and compact design allows rapid deployment when operating in remote or difficult terrain.
- 4. The small diameter of the lightweight supply hose greatly reduces resistance in current waters.

**NOTE!** This DP1 system cannot be used with Divator Pro. See page 10-11 for Pro compatible system



## DP1 Surface Panel

| Part No.    | Description      |
|-------------|------------------|
| DP1-PRO-S-A | 75 bar version   |
| DP1-PRO-S-B | 1088 psi version |



## DP1 Supply hose for MKII, MKII and Rs4

| Part No. | Description   |
|----------|---|
| 96725-01 | 60 meter hose (200 ft)  |
| 96725-02 | 70 meter hose (230 ft)  |
| 96725-03 | 30 meter hose (98 ft)   |
| 96725-04 | 120 meter hose (394 ft)   |
| 96725-05 | 10 meter hose (33 ft)   |
| 96725-06 | 90 meter hose (295 ft)  |
| 96725-07 | 80 meter hose (266 ft)  |
| 96725-08 | 230 feet hose (70 m) with communication cable (without connectors) and sleeve |
| 96725-09 | 98 feet hose (30 m) with communication cable (without connectors) and sleeve  |
| 96725-10 | 200 feet hose (60 m) with communication cable (without connectors) and sleeve |

## DP1 Supply hose for Divator Pro

The available configurations and part numbers are defined in the Divator DP1 product configurator in the section Divator Pro System in this catalog.

# Accessories

The DIVATOR DP1 surface supply hose provides a truly light weight and portable surface supply. The DP1 provide full cylinder pressure to the diver at depth.

## Accessories

| Part No.  | Description  |
|-----------|--|
| 97373-51  | Vent, pressure relief and protective handle. Male IS connection. |
| 88139-51  | Holder strap with hook.  |
| 97335-51  | "OPEN" tag, for marking open cylinder.                           |
| 336921843 | Carabiner hook, Stainless steel 316                              |
| 96741-51  | Safety belt  |



## Holdall & Hose winding frame

| Part No.  | Description   |
|-----------|---|
| DP1-BAG-D | Holdall for DP1 hose with winding posts. Fits up to a 60 meter DP1 hose.                  |
| DP1-BAG-A | Hose winding frame, lightweight with rubber fastening straps (fits in Pelicase DP1-BAG-C) |



## Pelicase

| Part No.  | Description      |
|-----------|------------------|
| DP1-BAG-C | Box for DP1 hose |



## DP1 Upgrade

| Part No. | Description                          |
|----------|--------------------------------------|
| 57650-01 | for upgrade hose to DP1 Pro version. |





# Optional equipment

Interspiro offers a wide selection of auxiliary equipment for work in hazardous environments on land and in water. Discover why professional divers in over 50 countries rely on Interspiro when going to work in extreme conditions.

# Weights & BC accessories

The DIVATOR weight system is Interspiro's multi-purpose environmentally friendly brass weight that can be used for a wide range of applications.



## Weight system

| Part No. | Description           |
|----------|-----------------------|
| 88174-51 | Weight, 500 g (1 kbs) |

## Chest weight pocket / Belt weight pocket



| Part No. | Description                    |
|----------|--------------------------------|
| 88135-01 | Weight pocket without weights  |
| 88175-51 | Weight pocket with two weights |

## Leg weight pocket



| Part No.  | Description                       |
|-----------|-----------------------------------|
| 460190863 | Leg weight pocket without weights |
| 88194-51  | Leg weight pocket with 5 weights  |

## Inflation cylinders (fits all models including Pro)



| Part No. | Description   |
|----------|---|
| 57512-51 | Inflation cylinder 0.35 L - left side (as worn on diver). 90° angled, robust hand wheel and a bleed valve.  |
| 57512-52 | Inflation cylinder 0.35 L - right side (as worn on diver). 90° angled, robust hand wheel and a bleed valve. |

## Divator Pro BC accessories



| Part No.     | Description                       |
|--------------|-----------------------------------|
| 57549-51     | Pro holder for inflation cylinder |
| 57548-51     | Pro connection inflation cylinder |
| 57547-51     | Pro BC inflation kit              |
| 87150-06-80  | Pro inflation hose MP, 80 cm      |
| 87150-06-100 | Pro inflation hose MP, 100 cm     |
| 87150-06-120 | Pro inflation hose MP, 120 cm     |

# Ibsophone

The Interspiro Ibsophone tethered under water communication system proveds for excellent voice communication between the divers (two) and the surface attendant. The Ibsophone contributes to a high degree of diver safety and also improves his underwater work. When connectors are removed from the amplifier the unit is switched off. Uses six standard 1,5 Volt C Baby/LR14/AM2 batteries for power.

## Ibsophone MTIII - for one or two divers\*

| Part No. | Description   |
|----------|---|
| 57044-01 | Including amplifier, headset tender (light), 2 x microphone diver, 2 x bone conductor diver, 2 x female subconn "red ring". |

\* Lifeline or cable not included.

## Parts and accessories MTIII

| Part No. | Description |
|----------|-------------|
|----------|-------------|

336300071 Amplifier (batteries not included)



31519-51 Head set

31519-52 Head set

336290955 Microphone diver, to Divator full face mask



88960-01 Microphone Divator (OTS mic)



336290957 Bone conductor diver, yellow



336921848 Subconn "Red ring" - Male



336921845 Subconn "Red ring" - Female



30524-01 Bone conductor diver, deep diving over 60 m, red



## Lifelines to MTIII - Floating

Complete floating lifeline made of Poly Propylene, Ø12.5 mm

| Part No. | Description |
|----------|-------------|
|----------|-------------|

30526-01 Floating lifeline, 50 meter

30526-02 Floating lifeline, 60 meter

30526-03 Floating lifeline, 80 meter

30526-04 Floating lifeline, 120 meter



## Lifelines to MTIII - Neutral

Complete neutral lifeline made of Poly Propylene, Ø10.5 mm

| Part No. | Description |
|----------|-------------|
|----------|-------------|

30527-01 Floating lifeline, 50 meter

30527-02 Floating lifeline, 60 meter

30527-03 Floating lifeline, 80 meter

30527-04 Floating lifeline, 120 meter



## Communication cable to MTIII

Only to be used and wound on a DP1 surace supply hose

| Part No. | Description |
|----------|-------------|
|----------|-------------|

33559-15 Communication cable, 20 meter for DP1 10 meter

33559-13 Communication cable, 40 meter for DP1 30 meter

33559-11 Communication cable, 70 meter for DP1 60 meter

33559-12 Communication cable, 80 meter for DP1 70 meter

33559-17 Communication cable, 90 meter for DP1 80 meter

33559-16 Communication cable, 100 meter for DP1 90 meter

33559-14 Communication cable, 130 meter for DP1 120 meter



## Ibsophone MTIII Transport box

| Part No. | Description |
|----------|-------------|
|----------|-------------|

97445-51 Box holds one set of Ibsophone MTIII (336300072) with storage space for spare batteries.



# Accessories

## Breathing hoses and connections



| Part No. | Description  |
|----------|--|
| 88119-51 | 90 degree breathing hose connection with swivel function |

|           |  |
|-----------|--|
| 336190389 | Breathing hose UNF 3/8, 725 mm (28"), US |
|-----------|--|

## Dry suit inflation hoses



| Part No. | Description                             |
|----------|---|
| 97474-53 | Cejn 221 - UNF 3/8 locked, 750 mm (29") |

|          |   |
|----------|---|
| 97474-63 | Cejn 221 - UNF 3/8 unlocked, 750 mm (29") |
|----------|---|

|          |  |
|----------|--|
| 97474-54 | Cejn 221 - UNF 3/8 locked, 1 meter (39") |
|----------|--|

|          |  |
|----------|--|
| 97474-64 | Cejn 221 - UNF 3/8 unlocked, 1 meter (39") |
|----------|--|

## Octopus or breathing hose



| Part No. | Description                             |
|----------|---|
| 99007-51 | Octopus hose UNF 3/8, 1.7 meter (70")   |
| 99007-52 | Octopus hose UNF 3/8, 1.13 meter (44")  |
| 99007-53 | Octopus hose UNF 3/8, 1 meter (39")     |
| 99618-51 | Octopus hose UNF 3/8, 0.827 meter (32") |

## Octopus holders



| Part No. | Description                  |
|----------|------------------------------|
| 88115-51 | Octopus holder clip (5 pack) |



|          |   |
|----------|---|
| 30643-51 | Octopus hose holder kit, for harness or BC (pair) |
|----------|---|



|          |  |
|----------|--|
| 30780-01 | Octopus mouthpiece holder kit (incl. velcro strap) |
|----------|--|



|          |  |
|----------|--|
| 30776-51 | Velcro straps for mouthpiece holder kit, 10 pack |
|----------|--|

Hoses must only be installed by a holder of a valid Interspiro service certificate on Level 3.

## Locked / unlocked suit inflation hose

### LOCKED:

The lock ring is locked and cannot be screwed towards the connector. Use when there is a need to disconnect the hose from the dry suit during a dive.

### UNLOCKED:

The lock ring is unlocked and can be screwed towards the connector. This will lock the hose to the dry suit. Securing it from being removed during the dive.

# Accessories

## Swivels, adapters & connections

Connectors mainly suited for MKII regulators.



| Part No.  | Description                         |
|-----------|-------------------------------------|
| 460190716 | Adapter G 1/8 male - UNF 3/8 female |
| 30182-51  | Adapter G 1/8 female - 3/8 UNF male |

## Filling accessories



| Part No.  | Description   |
|-----------|---|
| 331190627 | Air filling hose 300 > 200 bar, DIN 5/8                                     |
| 99404-03  | Air filling hose 300 > 300 bar, DIN 5/8                                     |
| 99369-01  | Filling restrictor adapter, 90 degree angle                                 |
| 99804-01  | Control gauge, with bar scale, DIN 5/8                                      |
| 99804-02  | Control gauge, with psi scale, DIN 5/8                                      |
| 460190770 | Discharge plug (DIN). Controlled, will leave 2 bar (29 psi) safety pressure |

## Protective caps



| Part No.  | Description                                    |
|-----------|--|
| 460190557 | Plastic protective cap R 5/8 (yellow), 10 pack |
| 31391-51  | Dust cover, small, Ø10-12 mm, 10 pack          |
| 31392-51  | Dust cover, large, Ø22-26 mm, 10 pack          |
| 95198-51  | Protective plug R 5/8, brass                   |
| 460190077 | Protective plug R 5/8, brass, 5 pack           |

## Plugs



| Part No.  | Description                          |
|-----------|--------------------------------------|
| 460190220 | Cylinder valve plug G 5/8            |
| 97192-51  | Blind plug 7/16"                     |
| 460190755 | Plug hex socket head UNF 3/8, 2 pack |
| 460190418 | Plug hex head G 1/8                  |
| 336200721 | Protective plug R 5/8, brass, 5 pack |

## Compounds



| Part No.  | Description                                       |
|-----------|---|
| 460200058 | Krytox GPL-205, oxygen compatible 57g (2oz)       |
| 331900268 | Lubricant for high pressure cylinder valves       |
| 331900269 | Silicone lubricant, for low pressure applications |

## Test equipment



| Part No.  | Description |
|-----------|-------------|
| 336190128 | Mini test   |

## Transport boxes



| Part No. | Description  |
|----------|--|
| 30977-01 | For Divator diving equipment with interior for one 323.4 / 2x3.5 L and one 326.7 / 2 x 7.2 L and additional space for regulator, mask, BC etc. |
| 30798-01 | DP1 transport box for <70 meter DP1 hose, with interior and space for surface box or one cylinder pack.  |
| 30798-02 | DP1 transport box for >70 meter DP1 hose, without interior but space for surface box.  |





# A long history of innovation

Interspiro has left a considerable imprint on history within breathing protection and our technological milestones have frequently become industry standards. During the years we have received numerous distinctions for the quality of our equipment, but we are most proud of the fact that every day professional men and women all over the world trust us with their lives as they go, haste or swim to work.

